

- Bartolini, S., Mecocci, A., Pozzebon, A., Zoppetti, C., Bertoni, D., Sarti, G., Caiti, A., Costanzi, R., Catani, F., Ciampalini, A., Moretti, S., 2018. Augmented Virtuality for Coastal Management: A Holistic Use of In Situ and Remote Sensing for Large Scale Definition of Coastal Dynamics. *ISPRS International Journal of Geo-Information* 7, 92. <https://doi.org/10.3390/ijgi7030092>
- Bartolomei, A., Brugioni, M., Canuti, P., Casagli, N., Catani, F., Ermini, L., Kukavacic, M., Menduni, G., Tofani, V., 2006. Analisi della suscettibilità da frana a scala di bacino (Bacino del Fiume Arno, Toscana-Umbria, Italia). *GIORNALE DI GEOLOGIA APPLICATA* 3, 189–195. <https://doi.org/10.1474/GGA.2006-03.0-25.0118>
- Battistini, A., Rosi, A., Segoni, S., Lagomarsino, D., Catani, F., Casagli, N., 2017. Validation of landslide hazard models using a semantic engine on online news. *APPLIED GEOGRAPHY* 82, 59–65. <https://doi.org/10.1016/j.apgeog.2017.03.003>
- Battistini, A., Segoni, S., Manzo, G., Catani, F., Casagli, N., 2013. Web data mining for automatic inventory of geohazards at national scale. *APPLIED GEOGRAPHY* 43, 147–158. <https://doi.org/10.1016/j.apgeog.2013.06.012>
- Bicocchi, G., Tofani, V., D'Ambrosio, M., Tacconi-Stefanelli, C., Vannucci, P., Casagli, N., Lavorini, G., Trevisani, M., Catani, F., 2019. Geotechnical and hydrological characterization of hillslope deposits for regional landslide prediction modeling. *Bulletin of Engineering Geology and the Environment*. <https://doi.org/10.1007/s10064-018-01449-z>
- Canavesi, V., Segoni, S., Rosi, A., Ting, X., Nery, T., Catani, F., Casagli, N., 2020. Different Approaches to Use Morphometric Attributes in Landslide Susceptibility Mapping Based on Meso-Scale Spatial Units: A Case Study in Rio de Janeiro (Brazil). *Remote Sensing* 12, 1826. <https://doi.org/10.3390/rs12111826>
- Canuti, P., Casagli, N., Catani, F., Falorni, G., 2002. Modeling of the Guagua Pichincha volcano (Ecuador) lahars. *PHYSICS AND CHEMISTRY OF THE EARTH* 27(36), 1587–1599. [https://doi.org/10.1016/S1474-7065\(02\)00180-8](https://doi.org/10.1016/S1474-7065(02)00180-8)
- Canuti, P., Casagli, N., Catani, F., Fanti, R., 2000. Hydrogeological hazard and risk in archaeological sites: some case studies in Italy. *JOURNAL OF CULTURAL HERITAGE* 1(2), 117–125. [https://doi.org/10.1016/S1296-2074\(00\)00158-8](https://doi.org/10.1016/S1296-2074(00)00158-8)
- Carboni, R., Catani, F., Iotti, A., Monti, L., 2001. La frana di Marano (Appennino Bolognese) del Febbraio 1996. *QUADERNI DI GEOLOGIA APPLICATA* 8(1), 123–136.
- Casagli, N., Catani, F., Del Ventisette, C., Luzi, G., 2010. Monitoring, prediction, and early warning using ground-based radar interferometry. *LANDSLIDES* 7(3), 291–301. <https://doi.org/10.1007/s10346-010-0215-y>
- Casagli, N., Catani, F., Puglisi, C., Delmonaco, G., Ermini, L., Margottini, C., 2004. An inventory-based approach to landslide susceptibility assessment and its application to Virginio river basin, Italy. *ENVIRONMENTAL & ENGINEERING GEOSCIENCE* 10(3), 203–216. <https://doi.org/10.2113/10.3.203>
- Catani, F., 2020. Landslide detection by deep learning of non-nadiral and crowdsourced optical images. *Landslides*. <https://doi.org/10.1007/s10346-020-01513-4>
- Catani, F., Casagli, N., Ermini, L., Righini, G., Menduni, G., 2005a. Landslide hazard and risk mapping at catchment scale in the Arno River Basin. *LANDSLIDES* 2, 329–342. <https://doi.org/10.1007/s10346-005-0021-0>
- Catani, F., Colombo, D., Farina, P., Fumagalli, A., Kukavacic, M., Marks, F., Menduni, G., Moretti, S., 2006. Utilizzo di dati telerilevati nella mappatura e nel monitoraggio dei fenomeni franosi e nell'analisi della suscettibilità da frana. *GIORNALE DI GEOLOGIA APPLICATA* 3, 173–180. <https://doi.org/10.1474/GGA.2006-03.0-23.0116>
- Catani, F., Farina, P., Moretti, S., Nico, G., 2003. Spaceborne radar interferometry: A promising tool for hydrological analysis in mountain alluvial fan environments. *IAHS PUBLICATION* 279, 241–248.

- Catani, F., Farina, P., Moretti, S., Nico, G., Strozzi, T., 2005b. On the application of SAR interferometry to geomorphological studies: Estimation of landform attributes and mass movements. *GEOMORPHOLOGY* 66(1–4 SPEC. ISS.), 119–131. <https://doi.org/10.1016/j.geomorph.2004.08.012>
- Catani, F., Fiani, M., 1995. La deformazione gravitativa profonda del Monte Penna (La Verna): primi risultati dell'applicazione di un sistema di monitoraggio mediante GPS. *QUADERNI DI GEOLOGIA APPLICATA* 1, 97–106.
- Catani, F., Kukavacic, M., Paoli, C., 2014. GIS and remote sensing technologies for the assessment of soil erosion hazard in the mediterranean island landscapes. *INTERNATIONAL JOURNAL OF ADVANCED REMOTE SENSING AND GIS* 3, 699–712.
- Catani, F., Lagomarsino, D., Segoni, S., Tofani, V., 2013. Landslide susceptibility estimation by random forests technique: sensitivity and scaling issues. *Natural Hazards and Earth System Sciences* 13, 2815–2831. <https://doi.org/10.5194/nhess-13-2815-2013>
- Catani, F., Segoni, S., Falorni, G., 2010. An empirical geomorphology-based approach to the spatial prediction of soil thickness at catchment scale. *WATER RESOURCES RESEARCH* 46(5), 1–15. <https://doi.org/10.1029/2008WR007450>
- Catani, F., Tofani, V., Lagomarsino, D., 2016. Spatial patterns of landslide dimension: A tool for magnitude mapping. *Geomorphology* 273, 361–373. <https://doi.org/10.1016/j.geomorph.2016.08.032>
- Chae, B.-G., Park, H.-J., Catani, F., Simoni, A., Berti, M., 2017. Landslide prediction, monitoring and early warning: a concise review of state-of-the-art. *Geosciences Journal* 21, 1033–1070. <https://doi.org/10.1007/s12303-017-0034-4>
- Ciampalini, A., Raspini, F., Lagomarsino, D., Catani, F., Casagli, N., 2016. Landslide susceptibility map refinement using PSInSAR data. *Remote Sensing of Environment* 184, 302–315. <https://doi.org/10.1016/j.rse.2016.07.018>
- Convertino, M., Troccoli, A., Catani, F., 2013. Detecting fingerprints of landslide drivers: A MaxEnt model. *JOURNAL OF GEOPHYSICAL RESEARCH* 118(3), 1367–1386. <https://doi.org/10.1002/jgrf.20099>
- Corominas, J., van Westen, C., Frattini, P., Cascini, L., Malet, J., Fotopoulou, S., Catani, F., Van Den Eeckhaut, M., Mavrouli, O., Agliardi, F., Pitilakis, K., Winter, M., Pastor, M., Ferlisi, S., Tofani, V., Hervás, J., Smith, J., 2014. Recommendations for the quantitative analysis of landslide risk. *BULLETIN OF ENGINEERING GEOLOGY AND THE ENVIRONMENT* 73, 209–263. <https://doi.org/10.1007/s10064-013-0538-8>
- D'Ambrosio, M., Tofani, V., Bicocchi, G., Tacconi Stefanelli, C., Catani, F., 2016. Assessment of geotechnical and hydrological properties of hillslopes by means of on site and laboratory tests: a case study in Tuscany (Central Italy). *RENDICONTI ONLINE DELLA SOCIETÀ GEOLOGICA ITALIANA* 41, 297–300. <https://doi.org/10.3301/ROL.2016.152>
- Ermini, L., Catani, F., Casagli, N., 2005. Artificial Neural Networks applied to landslide susceptibility assessment. *Geomorphology* 66(1–4), 327–343. <https://doi.org/10.1016/j.geomorph.2004.09.025>
- Fan, X., Yunus, A.P., Scaringi, G., Catani, F., Subramanian, S.S., Xu, Q., Huang, R., 2020. Rapidly evolving controls of landslides after a strong earthquake and implications for hazard assessments. *Geophys. Res. Lett.* <https://doi.org/10.1029/2020GL090509>
- Farina, P., Avila-Olivera, J.A., Garduño-Monroy, V.H., Catani, F., 2008. DInSAR Analysis of differential ground subsidence affecting urban areas along the Mexican Volcanic Belt (MVB). *RIVISTA ITALIANA DI TELERILEVAMENTO* 40(2), 103–113.
- Farolfi, G., Piombino, A., Catani, F., 2019. Fusion of GNSS and Satellite Radar Interferometry: Determination of 3D Fine-Scale Map of Present-Day Surface Displacements in Italy as Expressions of Geodynamic Processes. *Remote Sensing* 11, 394. <https://doi.org/10.3390/rs11040394>

- Forzieri, G., Battistini, A., Catani, F., 2012a. ES4LUCC: A GIS-tool for remotely monitoring landscape dynamics. COMPUTERS & GEOSCIENCES 49, 72–80. <https://doi.org/10.1016/j.cageo.2012.06.016>
- Forzieri, G., Catani, F., 2011. Scale-dependent relations in land cover biophysical dynamics. ECOLOGICAL MODELLING 222(17), 3285–3290. <https://doi.org/10.1016/j.ecolmodel.2011.06.010>
- Forzieri, G., Moser, G., Catani, F., 2012b. Assessment of hyperspectral MIVIS sensor capability for heterogeneous landscape classification. ISPRS Journal of Photogrammetry and Remote Sensing 74, 175–184. <https://doi.org/10.1016/j.isprsjprs.2012.09.011>
- Forzieri, G., Pecchi, M., Girardello, M., Mauri, A., Klaus, M., Nikolov, C., Rüetschi, M., Gardiner, B., Tomaštík, J., Small, D., Nistor, C., Jonikavicius, D., Spinoni, J., Feyen, L., Giannetti, F., Comino, R., Wolynski, A., Pirotti, F., Maistrelli, F., Savulescu, I., Wurpillot-Lucas, S., Karlsson, S., Zieba-Kulawik, K., Strejczek-Jazwinska, P., Mokroš, M., Franz, S., Krejci, L., Haidu, I., Nilsson, M., Wezyk, P., Catani, F., Chen, Y.-Y., Luyssaert, S., Chirici, G., Cescatti, A., Beck, P.S.A., 2020. A spatially explicit database of wind disturbances in European forests over the period 2000–2018. Earth Syst. Sci. Data 12, 257–276. <https://doi.org/10.5194/essd-12-257-2020>
- Forzieri, G., Tanteri, L., Moser, G., Catani, F., 2013. Mapping natural and urban environments using airborne multi-sensor ADS40–MIVIS–LiDAR synergies. International Journal of Applied Earth Observation and Geoinformation 23(1), 313–323. <https://doi.org/10.1016/j.jag.2012.10.004>
- Kim, S.W., Chun, K.W., Kim, M., Catani, F., Choi, B., Seo, J.I., 2020. Effect of antecedent rainfall conditions and their variations on shallow landslide-triggering rainfall thresholds in South Korea. Landslides. <https://doi.org/10.1007/s10346-020-01505-4>
- Lagomarsino, D., Segoni, S., Fanti, R., Catani, F., 2013. Updating and tuning a regional-scale landslide early warning system. LANDSLIDES 10(1), 91–97. <https://doi.org/10.1007/s10346-012-0376-y>
- Lagomarsino, D., Segoni, S., Rosi, A., Rossi, G., Battistini, A., Catani, F., Casagli, N., 2015. Quantitative comparison between two different methodologies to define rainfall thresholds for landslide forecasting. NATURAL HAZARDS AND EARTH SYSTEM SCIENCES 15, 2413–2423. <https://doi.org/10.5194/nhess-15-2413-2015>
- Lagomarsino, D., Tofani, V., Segoni, S., Catani, F., Casagli, N., 2017. A tool for classification and regression using random forest methodology: applications to landslide susceptibility mapping and soil thickness modeling. ENVIRONMENTAL MODELING & ASSESSMENT 22(3), 201–214. <https://doi.org/10.1007/s10666-016-9538-y>
- Leoni, L., Vannucchi, P., Principi, G., Catani, F., 2007. Deformation pattern in the underthrust carbonate-rich sequenze of the Sibillini Thrust (central Italy): insights for shear zone evolution in modern subduction complexes. GEODINAMICA ACTA 20(1–2), 53–69. <https://doi.org/10.3166/ga.20.53-69>
- Lu, P., Casagli, N., Catani, F., 2010. PSI-HSR: a new approach for representing Persistent Scatterer Interferometry (PSI) point targets using the hue and saturation scale. INTERNATIONAL JOURNAL OF REMOTE SENSING 31(8), 2189–2196. <https://doi.org/10.1080/01431161003636716>
- Lu, P., Casagli, N., Catani, F., Tofani, V., 2012. Persistent scatterers interferometry hotspot and cluster analysis (PSI-HCA) for detection of extremely slow-moving landslides. INTERNATIONAL JOURNAL OF REMOTE SENSING 33(2), 466–489. <https://doi.org/10.1080/01431161.2010.536185>
- Lu, P., Catani, F., Tofani, V., Casagli, N., 2014. Quantitative hazard and risk assessment for slow-moving landslides from Persistent Scatterer Interferometry. LANDSLIDES 11(4), 685–696. <https://doi.org/10.1007/s10346-013-0432-2>
- Luti, T., Segoni, S., Catani, F., Munafò, M., Casagli, N., 2020. Integration of Remotely Sensed Soil Sealing Data in Landslide Susceptibility Mapping. Remote Sensing 12, 1486. <https://doi.org/10.3390/rs12091486>
- Manzo, G., Tofani, V., Segoni, S., Battistini, A., Catani, F., 2013. GIS techniques for regional-scale landslide susceptibility assessment: the Sicily (Italy) case study. INTERNATIONAL JOURNAL OF

GEOGRAPHICAL INFORMATION SCIENCE 27(7), 1433–1452.

<https://doi.org/10.1080/13658816.2012.693614>

- Martelloni, G., Segoni, S., Fanti, R., Catani, F., 2012. Rainfall thresholds for the forecasting of landslide occurrence at regional scale. LANDSLIDES 9, 485–495. <https://doi.org/10.1007/s10346-011-0308-2>
- Martelloni, G., Segoni, S., Lagomarsino, D., Fanti, R., Catani, F., 2013. Snow Accumulation-Melting Model (SAMM) for integrated use in regional scale landslide early warning systems. HYDROLOGY AND EARTH SYSTEM SCIENCES 17(3), 1229–1240. <https://doi.org/10.5194/hess-17-1229-2013>
- Masi, E.B., Bicocchi, G., Catani, F., 2020. Soil organic matter relationships with the geotechnical-hydrological parameters, mineralogy and vegetation cover of hillslope deposits in Tuscany (Italy). Bull Eng Geol Environ. <https://doi.org/10.1007/s10064-020-01819-6>
- Mercogliano, P., Segoni, S., Rossi, G., Sikorsky, B., Tofani, V., Schiano, P., Catani, F., Casagli, N., 2013. Brief communication “A prototype forecasting chain for rainfall induced shallow landslides.” NATURAL HAZARDS AND EARTH SYSTEM SCIENCES 13(3), 771–777. <https://doi.org/10.5194/nhess-13-771-2013>
- Morelli, S., Battistini, A., Catani, F., 2014. Rapid assessment of flood susceptibility in urbanized rivers using digital terrain data: Application to the Arno river case study (Firenze, northern Italy). APPLIED GEOGRAPHY 54, 35–53. <https://doi.org/10.1016/j.apgeog.2014.06.032>
- Morelli, S., Segoni, S., Manzo, G., Ermini, L., Catani, F., 2012. Urban planning, flood risk and public policy: The case of the Arno River, Firenze, Italy. APPLIED GEOGRAPHY 34, 205–218. <https://doi.org/10.1016/j.apgeog.2011.10.020>
- Moretti, S., Catani, F., Giannini, L., Giglioli, E., 2003. Diffusione verticale del biogas: la discarica controllata Cà dei Ladri di Gaggio Montano. IL GEOLOGO 2, 19–22.
- Rehman, M.U., Zhang, Y., Meng, X., Su, X., Catani, F., Rehman, G., Yue, D., Khalid, Z., Ahmad, S., Ahmad, I., 2020. Analysis of Landslide Movements Using Interferometric Synthetic Aperture Radar: A Case Study in Hunza-Nagar Valley, Pakistan. Remote Sensing 12, 2054. <https://doi.org/10.3390/rs12122054>
- Rinaldi, M., De Rosa, G., Catani, F., Dapporto, S., Vannucci, P., Moretti, S., Casagli, N., 2002. Misura dell’arretramento di una sponda fluviale attraverso fotogrammetria terrestre digitale con analisi dei processi di erosione. BOLLETTINO DELLA SOCIETÀ GEOLOGICA ITALIANA 121(2), 275–287.
- Rosi, A., Canavesi, V., Segoni, S., Dias Nery, T., Catani, F., Casagli, N., 2019. Landslides in the Mountain Region of Rio de Janeiro: A Proposal for the Semi-Automated Definition of Multiple Rainfall Thresholds. Geosciences 9, 203. <https://doi.org/10.3390/geosciences9050203>
- Rosi, A., Segoni, S., Catani, F., Casagli, N., 2012. Statistical and environmental analyses for the definition of a regional rainfall threshold system for landslide triggering in Tuscany (Italy). JOURNAL OF GEOGRAPHICAL SCIENCES 22(4), 617–629. <https://doi.org/10.1007/s11442-012-0951-0>
- Rosi, A., Tofani, V., Agostini, A., Tanteri, L., Tacconi Stefanelli, C., Catani, F., Casagli, N., 2016. Subsidence mapping at regional scale using persistent scatters interferometry (PSI): The case of Tuscany region (Italy). INTERNATIONAL JOURNAL OF APPLIED EARTH OBSERVATION AND GEOINFORMATION 52, 328–337. <https://doi.org/10.1016/j.jag.2016.07.003>
- Rosi, A., Tofani, V., Tanteri, L., Tacconi Stefanelli, C., Agostini, A., Catani, F., Casagli, N., 2018. The new landslide inventory of Tuscany (Italy) updated with PS-InSAR: geomorphological features and landslide distribution. LANDSLIDES 15, 5–19. <https://doi.org/10.1007/s10346-017-0861-4>
- Rosi, A., Tofani, V., Tanteri, L., TACCONI STEFANELLI, C., Agostini, A., Catani, F., Casagli, N., 2017. The new landslide inventory of Tuscany (Italy) updated with PS-InSAR: geomorphological features and landslide distribution. LANDSLIDES 1–15. <https://doi.org/10.1007/s10346-017-0861-4>
- Rossi, G., Catani, F., Leoni, L., Segoni, S., Tofani, V., 2013. HIRESSS: a physically based slope stability simulator for HPC applications. NATURAL HAZARDS AND EARTH SYSTEM SCIENCES 13(1), 151–166. <https://doi.org/10.5194/nhess-13-151-2013>

- Salvatici, T., Tofani, V., Rossi, G., D'Ambrosio, M., Tacconi Stefanelli, C., Masi, E.B., Rosi, A., Pazzi, V., Vannucci, P., Petrolo, M., Catani, F., Ratto, S., Stevenin, H., Casagli, N., 2018. Application of a physically based model to forecast shallow landslides at a regional scale. *Natural Hazards and Earth System Sciences* 18, 1919–1935. <https://doi.org/10.5194/nhess-18-1919-2018>
- Segoni, S., Battistini, A., Rossi, G., Rosi, A., Lagomarsino, D., Catani, F., Moretti, S., Casagli, N., 2015. Technical Note: An operational landslide early warning system at regional scale based on space-time variable rainfall thresholds. *NATURAL HAZARDS AND EARTH SYSTEM SCIENCES* 15, 853–861. <https://doi.org/10.5194/nhess-15-853-2015>
- Segoni, S., Leoni, L., Benedetti, A.I., Catani, F., Righini, G., Falorni, G., Gabellani, S., Rudari, R., Silvestro, F., Rebora, N., 2009. Towards a definition of a real-time forecasting network for rainfall induced shallow landslides. *NATURAL HAZARDS AND EARTH SYSTEM SCIENCES* 9(6), 2119–2133. <https://doi.org/10.5194/nhess-9-2119-2009>
- Segoni, S., Morelli, S., Kukavacic, M., Camorani, A., Catani, F., Ermini, L., 2008. Applicazione di tecniche di mappatura ad alta risoluzione nel fiume Arno (Firenze). *GIORNALE DI GEOLOGIA APPLICATA* 9(2), 215–225.
- Segoni, S., Pappafico, G., Luti, T., Catani, F., 2020. Landslide susceptibility assessment in complex geological settings: sensitivity to geological information and insights on its parameterization. *Landslides*. <https://doi.org/10.1007/s10346-019-01340-2>
- Segoni, S., Rosi, A., Rossi, G., Catani, F., Casagli, N., 2014a. Analysing the relationship between rainfalls and landslides to define a mosaic of triggering thresholds for regional scale warning systems. *NATURAL HAZARDS AND EARTH SYSTEM SCIENCES* 14, 2637–2648. <https://doi.org/10.5194/nhess-14-2637-2014>
- Segoni, S., Rossi, G., Catani, F., 2012. Improving basin-scale shallow landslides modelling using reliable soil thickness maps. *NATURAL HAZARDS* 61(1), 85–101. <https://doi.org/10.1007/s11069-011-9770-3>
- Segoni, S., Rossi, G., Rosi, A., Catani, F., 2014b. Landslides triggered by rainfall: A semi-automated procedure to define consistent intensity–duration thresholds. *COMPUTERS & GEOSCIENCES* 63, 123–131. <https://doi.org/10.1016/j.cageo.2013.10.009>
- Segoni, S., Tofani, V., Rosi, A., Catani, F., Casagli, N., 2018. Combination of Rainfall Thresholds and Susceptibility Maps for Dynamic Landslide Hazard Assessment at Regional Scale. *Frontiers in Earth Science* 6. <https://doi.org/10.3389/feart.2018.00085>
- Solari, L., Bianchini, S., Franceschini, R., Barra, A., Monserrat, O., Thuegaz, P., Bertolo, D., Crosetto, M., Catani, F., 2020. Satellite interferometric data for landslide intensity evaluation in mountainous regions. *International Journal of Applied Earth Observation and Geoinformation* 87, 102028. <https://doi.org/10.1016/j.jag.2019.102028>
- Tacconi Stefanelli, C., Casagli, N., Catani, F., 2020. Landslide damming hazard susceptibility maps: a new GIS-based procedure for risk management. *Landslides* 17, 1635–1648. <https://doi.org/10.1007/s10346-020-01395-6>
- Tacconi Stefanelli, C., Catani, F., Casagli, N., 2015. Geomorphological investigations on landslide dams. *GEOENVIRONMENTAL DISASTERS* 1–15. <https://doi.org/10.1186/s40677-015-0030-9>
- Tacconi Stefanelli, C., Segoni, S., Casagli, N., Catani, F., 2016. Geomorphic indexing of landslide dams evolution. *ENGINEERING GEOLOGY* 208, 1–10. <https://doi.org/10.1016/j.enggeo.2016.04.024>
- Tacconi Stefanelli, C., Vilímek, V., Emmer, A., Catani, F., 2018. Morphological analysis and features of the landslide dams in the Cordillera Blanca, Peru. *LANDSLIDES* 1–15. <https://doi.org/10.1007/s10346-017-0888-6>
- Tofani, V., Bicocchi, G., Rossi, G., Segoni, S., D'Ambrosio, M., Casagli, N., Catani, F., 2017. Soil characterization for shallow landslides modeling: a case study in the Northern Apennines (Central Italy). *LANDSLIDES* 14, 755–770. <https://doi.org/10.1007/s10346-017-0809-8>

- Tofani, V., Catani, F., Casagli, N., 2010. Weather forecasting and radar technologies for landslide prediction and mapping: some examples in Italy. *BERICHTE DER GEOLOGISCHEN BUNDESANSTALT* 82, 33–35.
- Tofani, V., Catani, F., Takara, K., 2019. EGU 2019 Sergey Soloviev Medal Lecture. *Landslides* 16, 1613–1617. <https://doi.org/10.1007/s10346-019-01232-5>
- Tofani, V., Lu, P., Catani, F., Casagli, N., 2015. PSI technique for quantitative hazard and risk assessment of landslides. *RENDICONTI ONLINE DELLA SOCIETÀ GEOLOGICA ITALIANA* 35, 296–299. <https://doi.org/10.3301/ROL.2015.124>
- Tofani, V., Raspini, F., Catani, F., Casagli, N., 2013a. Persistent Scatterer Interferometry (PSI) technique for landslide characterization and monitoring. *REMOTE SENSING* 5(3), 1045–1065. <https://doi.org/10.3390/rs5031045>
- Tofani, V., Segoni, S., Agostini, A., Catani, F., Casagli, N., 2013b. Technical note: use of remote sensing for landslide studies in Europe. *NATURAL HAZARDS AND EARTH SYSTEM SCIENCES* 13(2), 299–309. <https://doi.org/10.5194/nhess-13-299-2013>
- Trigila, A., Frattini, P., Casagli, N., Catani, F., Crosta, G., Esposito, C., Iadanza, C., Lagomarsino, D., Mugnozza, G.S., Segoni, S., Spizzichino, D., Tofani, V., Lari, S., 2013. Landslide Susceptibility Mapping at National Scale: The Italian Case Study, in: Margottini, C., Canuti, P., Sassa, K. (Eds.), *Landslide Science and Practice*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 287–295. https://doi.org/10.1007/978-3-642-31325-7_38
- Tucker, G.E., Catani, F., Rinaldo, A., Bras, R.L., 2001. Statistical analysis of drainage density from digital terrain data. *GEOMORPHOLOGY* 36(3–4), 187–202. [https://doi.org/10.1016/S0169-555X\(00\)00056-8](https://doi.org/10.1016/S0169-555X(00)00056-8)
- Uzielli, M., Catani, F., Tofani, V., Casagli, N., 2015a. Risk analysis for the Ancona landslide—I: characterization of landslide kinematics. *Landslides* 12, 69–82. <https://doi.org/10.1007/s10346-014-0474-0>
- Uzielli, M., Catani, F., Tofani, V., Casagli, N., 2015b. Risk analysis for the Ancona landslide—II: estimation of risk to buildings. *Landslides* 12(1), 83–100. <https://doi.org/10.1007/s10346-014-0477-x>
- Zhou, C., Cao, Y., Yin, K., Wang, Y., Shi, X., Catani, F., Ahmed, B., 2020. Landslide Characterization Applying Sentinel-1 Images and InSAR Technique: The Muyubao Landslide in the Three Gorges Reservoir Area, China. *Remote Sensing* 12, 3385. <https://doi.org/10.3390/rs12203385>
- Zhou, C., Yin, K., Cao, Y., Ahmed, B., Li, Y., Catani, F., Pourghasemi, H.R., 2018a. Landslide susceptibility modeling applying machine learning methods: A case study from Longju in the Three Gorges Reservoir area, China. *Computers & Geosciences* 112, 23–37. <https://doi.org/10.1016/j.cageo.2017.11.019>
- Zhou, C., Yin, K., Cao, Y., Intrieri, E., Ahmed, B., Catani, F., 2018b. Displacement prediction of step-like landslide by applying a novel kernel extreme learning machine method. *Landslides* 15, 2211–2225. <https://doi.org/10.1007/s10346-018-1022-0>